

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(packets or frame or signal or symbol) with \$5queue with structure with (size or length)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/21 10:05
L2	72	(packets or frame or signal or symbol) with \$5queue with structure with (size or length)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/21 10:05
L3	0	10/734081	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/21 10:06
L4	37	2 and @ay<"2004"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/21 10:07
L5	5	(packets or frame or signal or symbol) with \$5queue with structure with (size or length) with first with second	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/21 10:07
L6	1	(packets or frame or signal or symbol) with \$5queue with structure with (size or length) with (consecutiv\$5 or successiv\$5 or following\$5) with first with second	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/21 10:11
L7	3	(packets or frame or signal or symbol) with \$5queue with (data near3 structure) with (size or length) with (consecutiv\$5 or successiv\$5 or following\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/21 10:12

L8	1	(packets or frame or signal or symbol) with \$5queue with (data near3 structure) with (size or length) with (consecutiv\$5 or successiv\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/21 10:14
L9	0	((packets or frame or signal or symbol) with \$5queue with (data near3 structure) with (size or length) with (consecutiv\$5 or successiv\$5)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/21 10:16
L10	0	((packets or frame or signal or symbol) same \$5queue same (data near3 structure) same (size or length) same (consecutiv\$5 or successiv\$5)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/21 10:17
L11	1048961	((packets or frame or signal or symbol) same \$5queue same (data near3 structure) same (size or length) same vary\$ or (dynamic\$5 or adapt\$5)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/21 10:18
L12	0	((packets or frame or signal or symbol) same \$5queue same (data near3 structure) same (size or length) same (vary\$ or dynamic\$5 or adapt\$5)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/21 10:19
L13	2	((consecutiv\$5 or successiv\$5)same (packets or frame or signal or symbol) same \$5queue same (data near3 structure)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/21 10:20
L14	1	((consecutiv\$5 or successiv\$5)same (packets or frame or signal or symbol) same \$5queue same (data near3 structure) same first).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/21 10:22

L15	0	((consecutiv\$5 or successiv\$5)same (packets or frame or signal or symbol) same \$5queue same (data near3 structure))and first and second and third).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/21 10:23
S1	3288	370/412.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 13:23
S2	2004	S1 and @ay<"2003"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 13:23
S3	34	(transform\$5 or translat\$5 or convert\$5) with (packet\$5 or frame\$5 or cell\$5) with queu\$5 with structure	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 13:26
S4	0	S2 and S3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 13:26
S5	24	S3 and @ay<"2003"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 13:26
S6	2	"6160819".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 13:32
S7	2	"5905725".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 13:50
S8	2	(transform\$5 or translat\$5 or convert\$5) with (packet\$5 or frame\$5 or cell\$5) near3 (queu\$5 with structure)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 13:54

S9	11651	queu\$5 with structure	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 14:11
S10	351	queu\$5 with structure with size	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 14:12
S11	27	queu\$5 with structure with size with set	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 14:12
S12	9	S11 and @ay<"2003"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 14:12
S13	2326	(queu\$5 structure)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 14:39
S14	168	(queu\$5 structure) with operation	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 14:40
S15	112	S14 and @ay<"2003"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 14:40
S16	9	(queu\$5 structure) with (queu\$5 operation)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 14:41
S17	8	((queu\$5 structure) with (queu\$5 operation)) and que\$5 and (size or length or threshold or target)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 14:50
S18	1289	(queu\$5 structure) and object	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 14:54

S19	0	(queue\$ structure) and (object orint\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 14:56
S20	2	(object orint\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 14:56
S21	2	((object orint\$5) or (Object-Orint\$5) or (Object Oriented))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 14:57
S22	2	((object near3 orint\$5) or (Object-Orint\$5) or (Object near3 Oriented))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 14:58
S23	13692	(queue\$ or memory or buffer\$5) with structure with (size or length)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 14:59
S24	1	S3 and S23	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:00
S25	5244	(queue\$ operation)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:02
S26	2587	(queue\$ operation) and @ay< "2003"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:03
S27	1780	S26 and (size or length)\	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:03
S28	1780	S26 and (size or length)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:04

S29	1691	S28 and (frame or packet or data or message)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:04
S30	910	S29 and pointer	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:05
S31	650	S29 and pointer and count\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:05
S32	610	S29 and pointer and count\$5 and generat\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:05
S33	94	S32 and (Packet near3 pointer)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:06
S34	5195	(data structure) with queue	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:26
S35	0	(data structure) with queue with packet with (structure size)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:27
S36	1	(data structure) with queue with packet with (structure (size or length))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:28
S37	258	S1 and S34	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:31
S38	148	S37 and @ay<"2003"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:31

S39	74	S37 and @ay<"2003" and (packet near5 (length or size))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:36
S40	38	S37 and @ay<"2003" and (packet near5 (length or size)) and (queue near3 (length or size))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:43
S41	16	S37 and @ay<"2003" and (packet near5 (length or size)) and (queue near3 (length or size)) and (queue near3 operation)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/21 15:45
S42	2	"5555396".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 08:15
S43	2	"5926458".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 08:16
S44	2	"6810012".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 09:02
S45	2	"20020044529".did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 09:08
S46	2	"20030140196".did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 12:07
S47	14357	que\$ with delay	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 12:08
S48	5471	que\$ with delay with time	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 12:09

S49	83	que\$ with delay with time with packet with size	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 12:09
S50	38	S49 and @ay<"2002"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 12:09
S51	18	S49 and @ay<"2002" and schedu\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 12:12
S52	3	10/745886	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/22 17:19
S53	1	11/417238	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/23 12:59
S54	930	queu\$5 with shap\$5 with traffic	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/21 08:02
S55	243	queu\$5 with shap\$5 with traffic with rate	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/21 08:03
S56	4	queu\$5 with shap\$5 with traffic with rate with (structure or format)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/21 08:03
S57	4	S56 and (traffic shap \$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/21 08:08
S58	4	S56 and (traffic shap \$5) with (queue\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/21 08:09

S59	156	queue with (set or group) with (length or size) with average	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/19 08:56
S60	0	"10734081"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/19 08:57
S61	0	10/734081	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/19 08:57
S62	93	S59 and @ay<"2003"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/19 08:58
S63	73	(queue near3 (set or group)) with (length or size) with average	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/19 08:59
S64	47	S63 and @ay<"2003"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/19 08:59
S65	19	((queue or buffer) (set or group)) with (length or size) with average	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/19 09:04
S66	14	S65 and @ay<"2003"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/19 09:05
S67	0	10/734081	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 11:14

4/ 21/ 2010 10:24:24 AM

C:\Documents and Settings\doveissi\My Documents\EAST\Workspaces\10734081-VER1.wsp